





PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)

The Patent Office Concept House Cardiff Road Newport South Wales NP10 8QQ

REC'D. 17 APR 2003

WIPO PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Austenses.

Dated

20 March 2003

BEST AVAILABLE COPY

ts Form 1/77

Petents Act 1977

05MAR02-12700755-1210005599 £01/770970:00-0205066.4

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

THE PATENT OFFICE MAR 2002

NEWPORT

The Patent Office

Cardiff Road Newport South Wales NP10 8QQ

Your reference

SL/AFD/OML.60

Patent a (The Pate

0205066.4

5 MAR 2002

Full name, address and postcode of the or of each applicant (underline all surnames)

Owen Mumford Limited Brook Hill Woodstock Oxford OX20 1TU

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

United Kingdom

Title of the invention

Improvements relating to injection device:

Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

Wynne-Jones, Laine & James

22 Rodney Road Cheltenham Gloucestershire GL50 1JJ

Patents ADP number (if you know it)

1792001 N

If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number (if you know it)

Date of filing (day / month / year)

n/a

If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing (day / month / year)

n/a

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer Yes' if:

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body. See note (d))

YES

Pat	tents Form 1/77	_
9.	Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document	
	Continuation sheets of this form	
	Description	5
	Claim(s)	_
	Abstract	-
	Drawing(s)	1 * 1
10	. If you are also filing any of the following, state how many against each item.	
	Priority documents	⊈ 4.
	Translations of priority documents	
	Statement of inventorship and right to grant of a patent (Patents Form 7/77)	-
	Request for preliminary examination and search (Patents Form 9/77)	-
	Request for substantive examination (Patents Form 10/77)	- -
	Any other documents (please specify)	
1	1.	I/We request the grant of a patent on the basis of this application Signature 4.3.2002
1	Name and daytime telephone number of person to contact in the United Kingdom	Wynne-Jones, Lainé & James Mr S J Laine 01242 515807
2 1 1	or communication of the invention should be provided by the vill be informed if it is necessary to prohibit or re United Kingdom, Section 23 of the Patents Act 15	he Comptroller of the Patent Office will consider whether publication obtibited or restricted under Section 22 of the Patents Act 1977. You estrict your invention in this way. Furthermore, if you live in the 1977 stops you from applying for a patent abroad without first getting an application has been filed at least 6 weeks beforehand in the 1978 tion and either no direction prohibiting publication or 1978 ection has been revoked.

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

10

15

20.

25

Improvements relating to injection devices .

This invention relates to injection devices. It is concerned with those devices for medical use where a syringe is loaded into a firing mechanism which first thrusts the syringe forwards to project the needle, and then acts on the piston within the syringe to express the dose.

It is well known to use a single drive spring which, when released, acts on a plunger directly connected to the piston of the syringe. The incompressibility of the dose and the fineness of the needle means that the syringe is thrust forwards by the force on its piston. But once the needle is projected the syringe is arrested while the drive spring continues to act to expel the dose through the needle. There is sometimes a return spring which acts between the syringe and the housing and which is compressed as the syringe moves forwards.

Certain syringes have large needles which require substantial force to make then penetrate. Also there have been developed low friction bungs or pistons for syringes, making it easier to expel a does. With a combination of a large needle and a low friction piston, and with the single drive spring technique described above, there will be a tendency for the piston to start moving forwards within the

5 .

10

15

syringe before the needle has fully penetrated. The dose will therefore start to be delivered whilst the tip of the needle is still moving into the flesh, and not all the intended dose will be ejected at the correct depth.

It is therefore desirable for this "pre-drip" to be eliminated as far as possible, which is what the proposal described below seeks to do.

According to the present invention there is provided an injection device having a housing with a spring drive releasable sequentially to urge a syringe within the housing forwards to project its needle from the forward end of the housing and then to press the piston within the syringe forwards to eject a dose through the needle, wherein the spring drive includes a first spring that acts between the housing and a plunger aligned to co-operate with the piston, and a second spring that acts between the plunger and the syringe, the second spring being weaker than the first spring but being sufficiently stiff to be in an expanded state when the syringe reaches its forward position with its needle penetrating flesh, wherein the first spring then compresses the second spring as it fully expands to urge the plunger forwards and thereby move the piston and expel the dose within the syringe, the second

5

10

15

20

spring meanwhile serving to retain the syringe seated at its forward position:

Thus the piston is not acted upon until the needle has penetrated.

It is unlikely that the second spring will act directly on the syringe. Instead, the plunger may have a collar slidable lengthwise within limits, and the second spring will bear on the rear side of this collar while its forward side co-operates with the syringe.

To keep the syringe in place initially there may be a third, light spring urging the syringe rearwardly so that its needle is retracted within the housing. Conveniently this spring encircles the syringe and acts between the rear flange of the syringe and an internal shoulder of the housing. Although compressed during the injection process it will not be powerful enough to affect the action of the first and second springs, nor will it cause the syringe to retract after use.

For a better understanding of the invention, one embodiment will now be described, by way of example, with reference to the accompanying drawing, in which the single figure is a diagrammatic axial section of an injection device.

10

15

The device has a barrel 1 which can house a syringe 2 at its forward end. The syringe is movable axially of the barrel between a position in which its needle 3 is retracted and a position in which that needle projects a set distance.

The forward drive for the syringe, which first moves the syringe body and then urges its piston forwards to expel the dose, consists of two springs 4 and 5 in tandem. The rear spring 4 is the more powerful and acts between the rear end of the barrel and the head 6 of a mushroom shaped member 7 whose stem 8 extends forwardly and can enter the rear end of the syringe 2. The second spring 5, through which the stem 8 extends, acts between the head 6 and a collar 9 slideable along the stem but limited in the forward direction by a circlip 10. A further light spring 11 acts in the rearward direction on the rear flange 12 of the syringe, encircling the syringe body and reacting against an inward shoulder 13 of the barrel 1. The release trigger for the spring drive is not shown for simplicity.


Initially, the syringe is retracted, and the main spring 4 is held compressed. Although shown slightly apart, the collar 9 and syringe flange 12 will be closed together, and there is a balance between the springs 5 and 11 that holds the syringe in place.

When the device is fired, the main spring 4 expands, driving the member 7 forwards. The spring 5 is stiff enough and the spring 11 weak enough for the spring 5 to remain expanded, and to thrust the syringe 2 forwards via the collar 9. The spring 4 continues to expand after the syringe has reached its forward position with the spring 11 fully compressed so that the member 7 acts on the piston within the syringe to expel the dose while the spring 5 is compressed. The spring 5 ensures that the syringe is retained in its forward position during this phase.

When the spring 4 is fully expanded, the injection is done and the device is withdrawn with the needle 3 still projecting.

10

5



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.